SUPPLIER DECLARATION OF CONFORMITY (SDOC)

In accordance with ISO/IEC 17050-1:2004

Issuer details Name" (of New Zealand manufacturer or importer): Contact Address: Reaciold NZ Ltd T Lockhart Place Willington Muellington New Zealand Company No. (# applicable): [5735187] Ernel Address: [Fee@FreatCold ADDR.Lt] Medium Risk Article - Details" (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Circle split type air conditioner With Eod-ASDNSE2L/D With cited atandard(a), as listed? Standard number alsa is a size? Standard number alsa is applicable in the size districal appliances Part 2-40: Particular requirements for legantical heat Dynmys, air conditioners and diversition and diversition or body Names and addresses of any testing organisation or body Names (Chring Chring Co.Ltd, Guangachou, Chubal Address(ster): Of Complias with the Conformity Cooperation Agreement* Yt#: Communication Bidg, 163Pingrun Rd; Huangpu Ave; West Guangachou, S10656, P.R. China Name(b): Gree Electric Appliances, Inc or Zhubal	SDoC identification Number ¹ :	M4 Lomo INV 18Q	D			
Realcold NZ Ltd 7. Lockhard Place Trieghore: 09-526-5700 New Zestind Company No. (if applicable): 5735187 Ernal Address: Tice (if applicable): Standarding Company No. (if applicable): 5735187 Ernal Address: Tice (if applicable): Gree split type air conditioner Ackland 1061 GWH180D-K3DNBZ/LO Standard number and issue year: 2015 Editor: American and susters: Tice 60335.2.40 Standard number and issue year: 2015 Standard number and issue year: IEC 60335.2.40 Standard number and issue year: 2015 Standard number and issue year: IEC 60335.2.40 Standard number and issue year: 2011 Standard number and issue year: IEC 60335.2.40 Standard number and issue year: 2011 Standard number and issue year: IEC 60335.2.40 Standard number and issue year: 2011 Standard Number and Stand Standard Standard Standard Number and S	Issuer details					
Tudeptore: 09-526-5700 New zaciend Company Nn. (if applicable): 5735187 Email Address: file@ Brackold: Getwick Status Status Medium Risk Article - Details ¹ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Gree split type air conditioner GWH180D-4X30NBZL/I GWH180D-4X30NBZL/I With cited standard(e), as listed ¹ : Standard number and issue year: Edition / Amendment status: IEC 60335.1 Standard title: Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical neat pumpe, air conditioners and defumindifiers Numes and addresses of any testing organisation or body Names and addresses of any testing organisation or body Nameski: Circe Electric Appliances, Inc of Zhunal Address(es): USE-170700303-000 IEC 60335-1: 2010, AMD1-2016 D8-170700303-000 Bedreence to relevant test reports/certification and the issue date that show how compliance is achieved Standard informator ⁵ Declaration NameSki: Gree Electric Appliances, Inc of Zhunal Reference to relevant test reports/certification and the issue date th	Name ² (of New Zealand manufacture	er or importer):		Contact Address:		
Trateptore: 104-26-37100 New Zealind Company No. (flagslicable): 5735187 Email Address: flagslicable): Gree split type air conditioner GWH 180D-K30NB2L/D GWH 180D-K30NB2L/D Standard number and issue year: 2015 Edition / Amendment status: ECE 60335:2.40 Edition / Amendment status: 2011 Standard number and issue year: ECE 60335:2.40 Edition / Amendment status: 2011 Standard number and issue year: ECE 60335:1 Standard number and issue year: 2015 Faith y of household and similar electrical appliances Edition / Amendment status: 2011 Standard number and issue year: IEC 60335:1 Standard number and issue year: 2015 Standard number and issue year: IEC 60335:1 Standard number and issue year: 2015 Standard number and issue year: IEC 60335:1 Standard number and issue year: 2016 Standard number and issue year: IEC 60335:1 Standard number and issue year: 2015 Standard number and addressees of any testing organisation or body Numet(s): TUV SUD Contification and Testing (China) Co., Ltd, Guangzhou Numet(s): IEC 60335:1: 2010, AMD1:2013, AMD2:2016 Nest Jinji Rd,	Realcold NZ Ltd			7 Lockhart Place		
New Zasland Company No. (if spplicable): 5735187 Email Address: [ride@trailcold.co.nz Medium Risk Article – Details ² (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Gree split type air conditioner GWH18QD-K3DNB2L/ With Risk Article listed above, fully complies: Standard number and issue year: [2015] Edition / Amendment status: [2011] Started of household and similar electrical appliances [2014] Particular requirements of electrical papeliances Nel Names and addresses of any testing organisation or body [1:5: Communication Bidg, 163;163;103;103;103;103;103;103;103;103;103;10	T-lash-and 09-526-5700					
Email Address: rife@@realcold.co.nz Medium Risk Article – Details ³ (Product name, type, rating, brand, model, batch numbers, and sarial numbers, as applicable): Gree split type air conditioner (WH180D-K3DNB2L/O The Medium Risk Article listed above, fully complies: With olded standard(a), as listed ¹ : Standard number and issue year: [2015 Edition / mendment status: [2011 Standard title: [EC 60335.1 Standard title: [Standard number and issue year: Part 2-40: Particular requirements for electrical heat pumps, air conditioners and dehumidifiers [asNz5 2Z modified Yes] Names and addresses of any testing organisation or body [Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body [Standarghtio: [C of Zhuhai] Namef(s): [TUV SUD Certification and Testing (China) Co, Ltd. Guangzhou [Address(es): [West Guangzhou, 510566, P. R. China 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved [Bead addres(s): reference Nrie); [Bead addres(s): reference Nrie); [EC 60335.1: 2010, AMD1:2013, AMD2:2016 [D 65-170700303-000 [24/10/2018] [Bead addres(s): reference Nrie); [EC 60335.1: 2010, AMD1:2013, AMD2:2016 [Bead addres State for the advice);				Auckland 1061		
Medium Risk Article – Details ³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable): Cere split type air conditioner GWH 180D - K3DNB2L/O The Medium Risk Article Isted above, fully complies: With cited standard(a), as listed ¹ : Standard number and issue year: Editon / Amendment status: IEC 60335.1 Editon / Amendment status: Standard number and issue year: Z011 Standard number and issue year: Standard number and issue year: Z014 Standard number and issue year: Standard number and issue year: Z015 Editon / Amendment status: Safety of household and similar electrical appliances Purps, air conditioners and dehumidifiers ASNZS ZZ modified Yea No NAmes and addresses of any testing organisation or body Names Address(es): TUV SUD Certification and draft standard (is standard) Address(es): Viez UbangZhou Address(es): Name(s): Gree Electric Appliances, Inc draft chain draft standard is above to the how how compliance in the dramator is achieved Standardin unmatof is achieved Report Carifficati						
Gree split type air conditioner GWH18QD-K3DN82L/0 The Medium Risk Article listed above, fully complies: With cited standard(s), as listed? Standard number and issue year: [2015 Edition / Amendment status: [2016 Standard number and issue year: [2016 Edition / Amendment status: [2011 Standard title: [Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat [Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat [Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat [Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat [Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat [Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat [West Guangzhou, 510656, P.R. China Name(s): [TU S UD Certification and Testing (China), Co, Ltd, Guangzhou [Safety of household co, Ltd, Guangzhou Name(s): [Gree Electric Appliances, Inc [Address(es): [Ites 60335.1: 2010, AMD1:2013, AMD2:2016 [IEC 60335.1: 2010, AMD1:201						
GWH18QD-K3DN82L/G The Medium Risk Article listed above, fully complies: Win cited standard(s), as listed? Standard number and lissue year: [2015] Edition / Amendment status: [2011] Standard number and lissue year: [2011] Standard number and standard listic [2011] Standard number and listic [2011] AsN2S ZZ modified Yes No NA ASN2S ZZ modified Yes No [NA Name(s): [TUV SUD Certification and Testing China], Co, Ltd, [Canagzhou [Addressi(es): [Nest Linji Rd, Qianshan, Zhuhai, Guangdong, China, 519070						
With cited standard(s), as listed : Standard number and issue year: [EC 60335,1 Edition / Amendment status: [EC 60335,1 Standard title: [Standard title: Safety of household and similar electrical appliances Standard title: Safety of household and similar electrical heat Image: Standard title: Safety of household and similar electrical heat Standard title: Safety of household and similar electrical appliances Standard title: Safety of household and similar electrical heat Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Name(s): [TUV SUD Certification and Testing (China) Co, Ltd, Guargzhou Address(es): 1:5F Communication Bidg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): [Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance Report Certification or Document relearence N'(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 [G55-170700303-000 [24/10/2018] Reference to any management quality system involved: Issue Identificat	GWH18QD-K3DNB2L/I					
Standard number and issue year: [EC 60335.2.40 Standard number and issue year: 2015 Edition / Amendment status: [EC 60335.1 Edition / Amendment status: 2011 Standard title: Standard title: 2011 Starbard title: Standard title: 2011 Safety of household and similar electrical appliances Particular requirements for electrical heat pumps, air conditioners and dehumidifiers AS/NZS ZZ modified Yes No N/A OR Compiles with the Conformity Cooperation Agreement* Yes No N/A OR Compiles with the Conformity Cooperation Agreement* Yes No N/A Name(s): TUV SUD Certification and Testing (China) Co, Ltd, Guangzhou Address(es): 1:5F Communication Bldg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Sue dates(s): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance Report Certification or Document issue dates(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 [24/10/2018]	The Medium Risk Article listed above, fully complies:					
Edition / Amendment status: EC 60335.1 Standard title: Standard title: Part 2-40: Particular requirements for electrical appliances Nale ASNZS ZZ modified Yes No Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names(s): TUV SUD Certification and Testing (China) Co, Ltd, Guangzhou Address(es): Marrel(s): Gree Electric Appliances, Inc of Zhuhai Address(es): Vest Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Issue dates(s): Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with oried standard is achieved: Report Certification or Document reference W(%): Issue dates(s): IEE 60335-2:40: 2013, AMD2:2016 085-170700303-000 24/10/2018 24/10/2018 IEE 60335-2:40: 2013, AMD1:2016 Issuer Identification 63 of the Electricity (Safety) Reguations^* Issuer Identification 63 of	With cited standard(s), as listed ⁴ :					
Standard title: Standard title: Standard title: Standard title: Part 2-40: Particular requirements for electrical appliances Part 2-40: Particular requirements for electrical heat pumps, air conditioners and dehumidifiers NA ASINZS ZZ modified Yes No N/A OR Compiles with the Conformity Cooperation Agreement ⁶ Yes No N/A OR Compiles with the Conformity Cooperation Agreement ⁶ Yes No N/A Names and addresses of any testing organisation or body Names and addresses of any testing organisation or body Names (i): TUV SUD Certification and Testing (China) Co, Ltd, Guangzhou Address(es): 1:5F Communication Bidg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved Issue dates(s): reference W(*)(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 24/10/2018 IEC 60335.2: 2.40: 2013, AMD1:2016 Issuer Identification R3 of the Electricity (Safety) Regulations R2 oto. Issuer Identification (as affixed to the article) Reference to any management quality system involved:<	Standard number and issue year:	IEC 60335.2.40		Standard number and issue year:	2015	
Safety of household and similar electrical appliances Part 2-40: Particular requirements for electrical heat pumps, air conditioners and dehmidifiers ASINZS ZZ modified Yes No N/A ASINZS ZZ modified Yes No N/A OR complex with the Conformity Cooperation Agreement ⁴ Yes No N/A OR complex with the Conformity Cooperation Agreement ⁴ Yes No Names and addresses of any testing organisation or body Markets Testing (China) Co, Ltd, Guangzhou Address(es): 1:5F Communication Bldg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of 2 huhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance with cited standard is achieved: Report Certification or Document reference N*(s): Issue dates(s): reference N*(s): IEC 60335-1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 24/10/2018 IEC 60335-2: 40: 2013, AMD1:2016 085-170700303-000 24/10/2018 Reference to any management quality system involved: Issue Identification (as affixed to the article) Additional information ⁶ : Issuer Identification (as affixed to the article) Pise acold on a behalt ot:	Edition / Amendment status:	Edition / Amendment status: IEC 60335.1		Edition / Amendment status:	2011	
Part 2-40: Particular requirements for electrical heat pumps, air conditioners and dehumidifiers ASINZS ZZ modified Yes No NA ASINZS ZZ modified Yes No NA OR complies with the Conformity Cooperation Agreement ⁴ Yes No NA OR complies with the Conformity Cooperation Agreement ⁴ Yes No NA Names and addresses of any testing organisation or body Address(es): 1:5F Communication Bidg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document reference N°(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 24/10/2018 24/10/2018 Reference to any management quality system involved: Image: Specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalt ot: Issuer Identification (as affixed to the article) Reference to any management quality system involved: Image: Specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010.			1	Standard title:		
OR Compiles with the Conformity Cooperation Agreement ³ Yes No Names and addresses of any testing organisation or body Name(s): TUV SUD Certification and Testing (China) Co, Ltd, Guangzhou Address(es): 1:5F Communication Bldg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved Report Certification or Document issue dates(s): reference N*(s): Issue dates(s): 24/10/2018 EC 60335.1: 2010, AMD1:2013, AMD2:2016 IE C 60335.2.40: 2013, AMD1:2016 085-170700303-000 24/10/2018 Reference to any management quality system involved: Additional information ⁶ : Issue Identification (as affixed to the article) Reference to any management quality system involved: Regulations 2010. Issue releating (as affixed to the article) Signed for and on behalf of: Realcold NZ Ltd Issue Identification (as affixed to the article) Real Cold NZ Ltd Issue Identification (as affixed to the article) PBS Singapore PBS Singapore	Part 2-40: Particular requirements for electrical heat					
Names and addresses of any testing organisation or body Name(s): TUV SUD Certification and Testing (China) Co, Ltd, Guangzhou Address(es): 1:5F Communication Bldg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Issue dates(s): reference N*(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 24/10/2018 Reference to any management quality system involved:	AS/NZS ZZ modified Yes	No N/A		AS/NZS ZZ modified Yes	No N/A	
Name(s): TUV SUD Certification and Testing (China) Co., Ltd, Guangzhou Address(es): 1:5F Communication Bldg, 163Pingyun Rd, Huangpu Ave, West Guangzhou, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 IEC 60335-2.40: 2013, AMD1:2016 085-170700303-000 24/10/2018 Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Issuer Identification (as affixed to the article) Realcold NZ Ltd Suser Identification (as affixed to the article) Result Lee, Gree Business Unit Manager PSB Singapore	OR Complies with the Conformity Cooperation Agreement ⁵ Yes No					
Toro SDD Certification and the issue date that show how, 510656, P.R. China Name(s): Gree Electric Appliances, Inc of Zhuhai Address(es): West Jinji Rd, Qianshan, Zhuhai, Guangdong, China, 519070 Reference to relevant test reports/certification and the issue date that show how compliance is achieved Standard(s) or document(s) used, to show how compliance Report Certification or Document reference N°(s): [EC 60335.1: 2010, AMD1:2013, AMD2:2016 [B5-170700303-000] [24/10/2018] Reference to any management quality system involved: [B65-170700303-000] [24/10/2018] Additional information ⁶ : [Beclaration] [Bsuer Identification (as affixed to the article) Reglection X2 Ltd [Bsuer Identification (as affixed to the article) [Bsuer Identification (as affixed to the article) Reglection N2 Ltd [Bsuer Identification (as affixed to the article) [Bsuer Identification (as affixed to the article) Reglection N2 Ltd [Bsuer Identification (as affixed to the article) [Bsuer Identification (as affixed to the article) Reglection N2 Ltd [Bsuer Identification (as affixed to the article) [Bsuer Identification (as affixed to the article) Reglection N2 Ltd [Bsuer Identification (as affixed to the article) [Bsuer Identification (as affixed to the article) Reglection N2 Ltd [Bsuer Id	Names and addresses of any testing organisation or body					
Additional information ⁶ : Instrumentation Declaration Instrumentation Interpretation Instrumentation Intere	Testing (China) Co, Ltd, West Guangzhou, 510656, P.R. China					
Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Report Certification or Document reference N°(s): Issue dates(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 24/10/2018 Reference to any management quality system involved: 24/10/2018 Additional information ⁶ : 085-170700303-000 24/10/2018 I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Issuer Identification (as affixed to the article) Real cold NZ Ltd Issuer Identification (as affixed to the article) Issuer Identification (as affixed to the article) Roger Lee, Gree Business Unit Manager 04/04/0040 04/04/0040		ances, Inc Addre			i, Guangdong, China,	
with cited standard is achieved: reference N°(s): IEC 60335.1: 2010, AMD1:2013, AMD2:2016 085-170700303-000 IEC 60335-2.40: 2013, AMD1:2016 085-170700303-000 Reference to any management quality system involved:	Reference to relevant test reports/certification and the issue date that show how compliance is achieved					
IEC 60335-2.40: 2013, AMD1:2016 Reference to any management quality system involved: Additional information ⁶ : Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore					Issue dates(s):	
Additional information ⁶ : Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore Ot/01/D010				085-170700303-000	24/10/2018	
Additional information ⁶ : Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore Ot/01/D010						
Additional information ⁶ : Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore Ot (0t /2010)	Reference to any management quality system involved:					
Declaration I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore Other Lee						
I hereby declare that the above specified fittings or electrical appliances comply with the requirements of Regulation 83 of the Electricity (Safety) Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore D4/04/2040						
Regulations 2010. Signed for and on behalf of: Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore Oth (04 /0040)	Declaration					
Realcold NZ Ltd Roger Lee, Gree Business Unit Manager PSB Singapore	Regulations 2010.					
Roger Lee, Gree Business Unit Manager PSB Singapore PSB Singapore						
PSB Singapore				TUV		
	ore					

Supplier Declaration of Conformity (SDoC) - Version 4: Jan 2017

In accordance with ISO/IEC 17050-1:2004

Notes for completion

- 1. Every declaration of conformity should be uniquely identified.
- 2. The responsible issuer must be unequivocally specified.
- 3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
- 4. The cited standard is the applicable specific safety standard exactly as it is cited in <u>Schedule 4 of the Electricity (Safety)</u> <u>Regulations 2010</u> or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
- 5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
- 6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
- 7. Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available upon request. (Note: A copy of the SDoC and supporting documentation for a Medium risk declared article must be supplied within 10 working days of a request by Energy Safety. Also a copy of the SDoC must be supplied within 10 working days of a request by any potential purchaser of the Medium risk declared article).

A person who sells or offers for sale, a Medium risk declared article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, within the time allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See <u>listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles</u>, on the Energy Safety website <u>www.energysafety.govt.nz</u>.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.